

specter

SPECTER STANDARD MODULES
FRAME FORMING SNOOT

bold
lighting



FRAME FORMING SNOOT

Our Magnetic track system, SPECTER, is a highly configurable, 2 circuits, 24VDC low voltage track system. Thanks to its magnet mounting technology, the modules are inter-changeable instantaneously. Our track is available in ceiling pendant, surface and recessed mounting for both ceiling and walls. SPECTER track is also available with an optional linear upright feature. The snoot module complements the SPECTER range with a minimalistic cylinder track-head equipped with a wide range of optics and optical accessories allowing professional scenography lighting.

- Cylinder diameter 56mm
- Equipped with a zoom and focus lens as well as framing shutters
- Fixtures designed to mount in SPECTER track
- Available in 2 standard finishes: Black and white
- Gobo Lens Available as an ad-on Accessory
- Standard black baffles, custom colors are available upon request. Consult factory for adder cost and lead-times

Notes: ¹ Available dimming ELV 0-10V and DALI

Code example: **SPSF-C-22W-B-Z927-2**

Series	Length	Body Finish	Baffle Finish	Beam Angle	CRI	Color Temp	Circuit		
SPSF-C	22	56mm	W White	B Black	Z 20° - 35°	9 +90	27 2700K	1 1-Circuit	
		B Black	X Custom	30 3000K					2 2-Circuit
		X Custom	35 3500K						
		40 4000K							

STANDARD FINISHES



W

B

DELIVERED LUMEN OUTPUT


Length	Watts	CRI +90			
		2700K	3000K	3500K	4000K
56mm	20W	720lm	780lm	830lm	910lm




Photometric data: Type C Polar Curves

SOFT EDGE BEAM

33° Beam Angle




23° Beam Angle




SHARP EDGE BEAM


25° Beam Angle



27° Beam Angle





FRAME FORMING SNOOT



FALSE COLOR & GRAYSCALE

False color Snoot Frame



Grayscale Snoot Frame

